
Elk Creek

Glenn County, California, 626 AC +/-



















| Boundary 556.88 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
PtA	Porterville clay, 0 to 2 percent slopes	211.0 8	37.9	0	32	3s
PtB	Porterville clay, 2 to 10 percent slopes	161.7 1	29.04	0	32	3e
AoxA	Arbuckle cobbly loam, 0 to 3 percent slopes, MLRA 17	103.2 5	18.54	0	39	3s
SuE2	Stonyford gravelly clay loam, 20 to 50 percent slopes, eroded	38.67	6.94	0	14	6e
Tm	Tehama silt loam, 0 to 3 percent slopes, MLRA 17	12.6	2.26	0	54	3s
PeA	Perkins loam, 0 to 3 percent slopes, MLRA 17	9.54	1.71	0	45	3s
Czk	Cortina gravelly fine sandy loam, shallow	8.55	1.54	0	16	4s
BcB	Burris clay, 1 to 8 percent slopes	5.22	0.94	0	58	3w
StE	Stonyford clay, 30 to 65 percent slopes	3.95	0.71	0	14	6e
SuF	Stonyford gravelly clay loam, 50 to 65 percent slopes	1.75	0.31	0	8	7e
SuF2	Stonyford gravelly clay loam, 50 to 65 percent slopes, eroded	0.51	0.09	0	6	7e
Ox	Orland-Cortina complex	0.05	0.01	0	44	3w
TOTALS		556.8 8(*)	100%	-	32.54	3.26

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water